

Acanthodactylus haasi, Haas' Fringe-fingered Lizard

Assessment by: Anderson, S., Al Johany, A.M.H. & Els, J.



View on www.iucnredlist.org

Citation: Anderson, S., Al Johany, A.M.H. & Els, J. 2012. *Acanthodactylus haasi. The IUCN Red List of Threatened Species 2012*: e.T178437A1534508.

http://dx.doi.org/10.2305/IUCN.UK.2012.RLTS.T178437A1534508.en

Copyright: © 2015 International Union for Conservation of Nature and Natural Resources

Reproduction of this publication for educational or other non-commercial purposes is authorized without prior written permission from the copyright holder provided the source is fully acknowledged.

Reproduction of this publication for resale, reposting or other commercial purposes is prohibited without prior written permission from the copyright holder. For further details see <u>Terms of Use</u>.

The IUCN Red List of Threatened Species™ is produced and managed by the <u>IUCN Global Species Programme</u>, the <u>IUCN Species Survival Commission</u> (SSC) and <u>The IUCN Red List Partnership</u>. The IUCN Red List Partners are: <u>BirdLife International</u>; <u>Botanic Gardens Conservation International</u>; <u>Conservation International</u>; <u>Microsoft</u>; <u>NatureServe</u>; <u>Royal Botanic Gardens</u>, Kew; <u>Sapienza University of Rome</u>; <u>Texas A&M University</u>; <u>Wildscreen</u>; and <u>Zoological Society of London</u>.

If you see any errors or have any questions or suggestions on what is shown in this document, please provide us with feedback so that we can correct or extend the information provided.

Taxonomy

Kingdom	Phylum	Class	Order	Family
Animalia	Chordata	Reptilia	Squamata	Lacertidae

Taxon Name: Acanthodactylus haasi Leviton & Anderson, 1967

Common Name(s):

• English: Haas' Fringe-fingered Lizard

Assessment Information

Red List Category & Criteria: Least Concern ver 3.1

Year Published: 2012

Date Assessed: February 9, 2012

Justification:

Acanthodactylus haasi has been assessed as Least Concern owing to its large distribution in central Oman and Saudi Arabia. No specific threats have been reported and this species is not undergoing significant population declines.

Previously Published Red List Assessments

2010 - Least Concern (LC)

Geographic Range


Range Description:

This species is found in central Oman, United Arab Emirates, and northern and eastern Saudi Arabia, around Dhahran and Sakaka (Leviton *et al.* 1992).

Country Occurrence:

Native: Oman; Saudi Arabia

Distribution Map



Population

There is no population information available for this species.

Current Population Trend: Unknown

Habitat and Ecology (see Appendix for additional information)

This species inhabits deserts and dry shrublands. It is known to climb in low vegetation, which is considered unusual for the genus (Leviton *et al.* 1992).

Systems: Terrestrial

Use and Trade

This species is not in trade.

Threats

It is unlikely that any major threat is impacting this species.

Conservation Actions (see Appendix for additional information)

There are no known species-specific conservation measures in place, or needed for this species. It is unclear whether the species occurs in any protected areas.

Credits

Assessor(s): Anderson, S., Al Johany, A.M.H. & Els, J.

Reviewer(s): Cox, N.A. & Bowles, P.

Contributor(s): De Silva, R., Milligan, HT, Wearn, O.R., Wren, S., Zamin, T., Sears, J., Wilson, P.,

Lewis, S., Lintott, P. & Powney, G.

Facilitators(s) and Cox, N.A.

Compiler(s):

Bibliography

Anderson, S.C. 2007. pers. comm. Red List Assessment.

Haas, G. 1957. Some amphibians and reptiles from Arabia. *Proceedings of the California Academy of Sciences* 29(3): 47-86.

IUCN. 2012. IUCN Red List of Threatened Species (ver. 2012.2). Available at: http://www.iucnredlist.org. (Accessed: 17 October 2012).

Leviton, A.E. and Anderson, S.C. 1967. Survey of the reptiles of the Sheikdom of Abu Dhabi, Arabian Peninusla. Part II. Systematic account of the collection of reptiles made in the Sheikdom of Abu Daby by John Gasperetti. *Proceedings of the California Academy of Sciences, Series 4* 35: 157-192.

Leviton, A.E., Anderson, S.C., Adler, K. and Minton, S.A. 1992. *Handbook to Middle East Amphibians and Reptiles*. Society for the Study of Amphibians and Reptiles, Oxford, Ohio.

Salvador, A. 1982. A revision of the lizards of the genus *Acanthodactylus* (Sauria: Lacertidae). *Bonner Zoologische Monographien* 16: 1-167.

van der Kooij, J. 2001. The herpetofauna of the Sultanate of Oman: Part 3: The true lizards, skinks and monitor lizards. *Podarcis* 2(1): 15-26.

Citation

Anderson, S., Al Johany, A.M.H. & Els, J. 2012. *Acanthodactylus haasi. The IUCN Red List of Threatened Species 2012*: e.T178437A1534508.

http://dx.doi.org/10.2305/IUCN.UK.2012.RLTS.T178437A1534508.en

Disclaimer

To make use of this information, please check the <u>Terms of Use</u>.

External Resources

For <u>Images and External Links to Additional Information</u>, please see the Red List website.

Appendix

Habitats

(http://www.iucnredlist.org/technical-documents/classification-schemes)

Habitat	Season	Suitability	Major Importance?
3. Shrubland -> 3.5. Shrubland - Subtropical/Tropical Dry		Suitable	-
8. Desert -> 8.1. Desert - Hot	-	Suitable	-

Conservation Actions in Place

(http://www.iucnredlist.org/technical-documents/classification-schemes)

Conservation Actions in Place	
In-Place Land/Water Protection and Management	
Occur in at least one PA: Unknown	

Research Needed

(http://www.iucnredlist.org/technical-documents/classification-schemes)

Research Needed		
1. Research -> 1.2. Population size, distribution & trends		
1. Research -> 1.3. Life history & ecology		

Additional Data Fields

Population	
Population severely fragmented: No	

The IUCN Red List Partnership



The IUCN Red List of Threatened Species™ is produced and managed by the IUCN Global Species Programme, the IUCN Species Survival Commission (SSC) and The IUCN Red List Partnership. The IUCN Red List Partners are: BirdLife International; Botanic Gardens Conservation International; Conservation International; Microsoft; NatureServe; Royal Botanic Gardens, Kew; Sapienza University of Rome; Texas A&M University; Wildscreen; and Zoological Society of London.